

LOK SCF - threaded connector NPT female - Inch pipe

PIPES AND FITTINGS FOR HYDROGEN AND FUEL CELLS › STAINLESS STEEL SAFETY CONNECTIONS › LOK D
OGIVE FITTINGS

Connection fitting for stainless steel pipe measures in inches with American NPT female thread. Minimum package 10 pieces.



Mastertubi.it/q?92

Code	diameter Tube		fillet steak	internal hole fitting	
	inches	mm	NPT	mm	
SCF-1-1N	1/16"	1.59	1/16"	1.27	
SCF-1-2N	1/16"	1.59	1/8"	1.27	
SCF-2-2N	1/8"	3.17	1/8"	2.28	
SCF-2-4N	1/8"	3.17	1/4"	2.28	
SCF-3-2N	3/16"	4.76	1/8"	3.04	
SCF-4-2N	1/4"	6.35	1/8"	4.82	
SCF-4-4N	1/4"	6.35	1/4"	4.82	
SCF-4-6N	1/4"	6.35	3/8"	4.82	
SCF-4-8N	1/4"	6.35	1/2"	4.82	
SCF-5-2N	5/16"	7.93	1/8"	4.82	
SCF-5-4N	5/16"	7.93	1/4"	6.35	

SCF-6-2N	3/8"	9.52	1/8"	6.35	
SCF-6-4N	3/8"	9.52	1/4"	7.11	
SCF-6-6N	3/8"	9.52	3/8"	7.11	
SCF-6-8N	3/8"	9.52	1/2"	7.11	
SCF-6-12N	3/8"	9.52	3/4"	7.11	
SCF-8-4N	1/2"	12.70	1/4"	7.11	
SCF-8-6N	1/2"	12.70	3/8"	10.41	
SCF-8-8N	1/2"	12.70	1/2"	10.41	
SCF-8-12N	1/2"	12.70	3/4"	10.41	
SCF-10-6N	5/8"	15.87	3/8"	9.65	
SCF-10-8N	5/8"	15.87	1/2"	11.93	
SCF-10-12N	5/8"	15.87	3/4"	12.70	
SCF-12-8N	3/4"	19.05	1/2"	11.93	
SCF-12-12N	3/4"	19.05	3/4"	15.74	
SCF-14-12N	7/8"	10.22pm	3/4"	15.74	
SCF-16-12N	1"	25.4	3/4"	15.74	
SCF-16-16N	1"	25.4	1"	10.35pm	
SCF-20-20N	1"1 / 4	31.75	1"1 / 4	27.68	
SCF-24-24N	1"1 / 2	38.10	1"1 / 2	34.03	

SCF-32-32N

2"

50.80

2"

45.97

