

LOK SLF - NPT female elbow - Inch pipe

PIPES AND FITTINGS FOR HYDROGEN AND FUEL CELLS › STAINLESS STEEL SAFETY CONNECTIONS › LOK D OGIVE FITTINGS

Connection fitting for stainless steel pipe measures in inches with American NPT female thread. Minimum package 10 pieces.



Mastertubi.it/q?94

Code	diameter Tube		fillet steak	internal hole fitting	
	inches	mm	NPT	mm	
SLF-2-2N	1/8"	3.17	1/8"	2.28	
SLF-2-4N	1/8"	3.17	1/4"	2.28	
SLF-3-2N	3/16"	4.76	1/8"	3.04	
SLF-4-2N	1/4"	6.35	1/8"	4.82	
SLF-4-4N	1/4"	6.35	1/4"	4.82	
SLF-4-6N	1/4"	6.35	3/8"	4.82	
SLF-4-8N	1/4"	6.35	1/2"	4.82	
SLF-5-2N	5/16"	7.93	1/8"	4.82	

SLF-5-4N	5/16"	7.93	1/4"	6.35	
SLF-6-2N	3/8"	9.52	1/8"	6.35	
SLF-6-4N	3/8"	9.52	1/4"	7.11	
SLF-6-6N	3/8"	9.52	3/8"	7.11	
SLF-6-8N	3/8"	9.52	1/2"	7.11	
SLF-8-4N	1/2"	12.70	1/4"	7.11	
SLF-8-6N	1/2"	12.70	3/8"	10.41	
SLF-8-8N	1/2"	12.70	1/2"	10.41	
SLF-8-12N	1/2"	12.70	3/4"	10.41	
SLF-10-6N	5/8"	15.87	3/8"	9.65	
SLF-10-8N	5/8"	15.87	1/2"	11.93	
SLF-12-8N	3/4"	19.05	1/2"	11.93	
SLF-12-12N	3/4"	19.05	3/4"	15.74	
SLF-14-12N	7/8"	10.22pm	3/4"	15.74	
SLF-16-12N	1"	25.4	3/4"	15.74	

SLF-16-16N	1"	25.4	1"	10.35pm	
------------	----	------	----	---------	--